

SOUTH PRODUCTION NOTES

August 25, 2016

3-11 Shift Notes

BASF EMPLOYEES

282 Last Recordable

342 Last Lost time

Title V Notes:

Trimer – Down. Issues with Stage one.

B9 Sump – Floor CRT needs to walk a couple times per shift to check for overflow.

F2 – Need to check each shift. Verify that Water valve is about ¼ open. Currently running on a constant overflow due to pH issues.

Sly – Blower motor is getting loud – WOW.

NOx/CO system – Alrighty lately.

#8 DC – Filters have been changed out, but still blowing out something. Air to blowdowns will be installed on Friday.

Work To Be Done in the Department:

- Remove Haz-Waste drums.
- Need to get the Cu 1230 repacked
- Need to verify that the partial drum of E230 was repacked.

#1 MED / D 1780:

GEM working on replacing valves on the mixer they may be finished today but most likely it will be Friday. Still working on it.

Dryer needs a new burner – being ordered.

Also looking into having the dryer bed interlocked with the burners, so when they kick out the dryer stops. Rob T has been contacted, will probably need an MOC for this mod.

Locked out the diverter valve to the calciner hopper.

#1 RC / Cu 0865:

We are now filling 400lbs into drums (starting with lot #119 per Tuttle). Tape on labels. A bag of lot 167 material was fed per Will T.

The bags must be fed to the calciner in bag order. Remember to use the log sheet every time you hang a bag.

Cannot find bag 9 of lot 158. Check MOD for additional notes.

#2 MED line / Styrene is next:

Continue cleanup sheet dryer should be done. Schirmer still working on cleaning. Extruder barrel is back from Maintenance, need to put back on and install newer auger.

Tentative start of monday

A work order was also written to have the lip on the chute above the extruder fixed. It is bent where the C- clamps hold it down.
WO in for leaking spiral elevator.

#2 RC / D 0768:

F-1 valve has been repaired. Coming up to temps now. Start feeding when ready. We have put in a cleaning kit on the oversized product screen. Need to monitor once an hour- Log sheet and training guide is on GL-stocks desk. KEEP A CLOSE EYE ON THE DISCHARGE RATE. If it continually drops off look at the screener.

Lot 249 SS#14 needs to be repacked the liner fell in (hold until the end). Bag was remade.

Partials from old runs need to be fed at end once temps are brought down.

#3 MED line / D-1780 LAQ:

Maintenance will be up this afternoon to work on the spiral diverter valve. Need to grease end seals and watch the dusting.

Steve ordered more Grease early in the week should be in soon.

Bottom piping below filter receiver and Vacuum pump discharge areas are difficult to keep clean – see Andrea's e-mail.

Kirk is looking into getting the scale head for the liquid weigh tank replaced because it keeps losing memory when it is powered down.

Need to be sure that we are greasing the end seals once a shift.

#3 RC / D-1780 LAQ:

Maintenance still working on the F1 exhaust valve. Temperatures are being brought down so they can continue repairs in the morning.

Fire blanket has been replaced Thursday.

Okay to start feeding again once they get it repaired.

Contaminated bag ok to feed.

Remember these bags are coming from #1 MED.

Make sure to seal pouches on labels (we have had a few fall out).

#4 RC / Ni-4322 Next:

Temps down due to Trimer issues.

Do not let the hopper run low, feed rate on calciner will be affected.

Keep an eye on this product and the Trimer due to high NOx.

#5 RC / Cu 0539 Next:

Cleaned. Still holding. Evaluating whether or not we need to send to the Trimer. 5A after filter gauge to be installed Monday. Also need after filter replaced. Keep dust collectors locked out until then.

When running, feed Hopper should not be filled past 2 feet below the top to allow room for blowdowns. HEPA filter was last changed out 6-11-16 on day shift.

#6 RC & Dryer / D-0257:

Started feeding again on day shift. Continue

Engineer is testing on/off times on the syntron to try and get material to feed better

Need to get drums on the 1st floor refed.

Make sure fines drum on the feed end is checked several times per shift and open the slide gate to empty it. Material will leak from the seals and on to the floor when it backs up.

Please make sure all bags are labeled on both sides and the tops have been wire tied closed. Also all bags must be check weighed.

West Pfaudler / Ni 4322:

Started up the 1/8" impregnation. Material is dry. Need to keep cooling water on until 5 PM on Thursday then shut off and put it on its side for the weekend.

East Pfaudler / D-0257:

Vacuum pump has been repaired. Continue making batches as needed to support RC#6. Keep an eye on the vacuum and temperature of the green tank on 1st floor (manually add water if it gets too hot- Try and just crack the valve or we end up sending a lot of water to WWTP).

6 Tank / Ni 4322 (Nickel nitrate):

Start cooking tank down on Saturday so that it will be ready for Mondays nickel impreg. Steam on tank is ok. Continue to monitor tank once a shift to keep from crystalizing.

7 Tank / Ni 4322 (Nickel Nitrate):

Tank was emptied and rinsed.

National Dryer / Ni 4322:

Ran last partial tote through. Need to finish rough cleaning again. Temp has been lowered to 90.

PK Blender / Pill mix:

Hold off on making more Pill Mix. Clean out building 9 of pill mix supplies. Clean blender.

Contact Group Leader before using any water in building 9 or before unlocking sumps. They have all been locked out with Blue operational locks.

Check bag house DP before starting each batch.

Flow meter is installed but not calibrated yet. DO NOT USE DP Gauge should be set at 3.5 and 4.25.

Abbe Blender:

Abbe has been rinsed (the tank and the lines).

Tower 3 / Zn 0313:

Tower is down. Zn will start next week.

Tower 6 / Zn 0313:

Tower is down. Tower has been washed down. Hoist chain has fallen out. Needs further troubleshooting.

North Screener / ?:

Installing new hoist system now. PSSR has been done. Need to finish a few start up items before starting to use.

South Screener / Cu 0860:

Continue screening, Kristen is looking into the alcohol drip from the screener. Had the screener kick out several times on one drum, then ran fine. Also the alcohol is leaking onto the scale between drums. May need to evaluate the valve placement. Keep an eye on the amount of fines in the product, may need to switch to an 11 mesh fines screen. Check fines screen every tote change to make sure it isn't blinding over.

Stretch wrapper is working. Please wrap your drums as full pallets are made. See GL or Kristen for quick informational session on how to operate.

If you wash down drums with water you need to dry them off – the green drums are very prone to rust.

#2662 (west) Pill Machine / Al 3915:

Out of feed. Cleaning as able.

#2664 (east) Pill Machine / AL 3915:

Out of feed. Cleaning as able.

TK #2 / ?:

Done. Leave the saggars on – Next Product?

TK #4 / Switching to Cu-2508:

Dropping temps and holding. Have an operator or CRT inspect 4x a shift to make sure temps are good and cars are moving. Should have fee by later Monday. Start bringing temps up this weekend.

Harrop Kiln / Al-3920:

Still feeding. Continue on with lot 229. Last bag hanging.

We need to stop feeding hot material to the screener by making a large pile on the top of the screener then turning it on after the material has cooled. By overloading the screener we are causing the product to not screen correctly and

this putting us out of spec on this material. We must now rescreen a bunch of material we have already made. Please allow cars to come around and cool, and feed the screener only if you are able to keep the screener running.

Building 27 Belt Filter / Cu 5020:

Continue setting up for Cu 5020. Should be almost ready to start strikes maintenance is replacing. Do not use the taller, thinner cardboard sleeves, those are for LIB.

We have switched to 188 lined super sacks. These will need cardboard sleeves around them and new clean pallets.

Top 11 are important enough to keep running and staffed, top 7 cannot afford to have additional production interruptions.

- 1) #4 RC/Trimer/West Pfaudler/National Dryer**
- 2) #1 RC South (Cu-0865 T)**
- 3) #6 RC/East Pfaudler**
- 4) #5 RC/Trimer**
- 5) #1 RC North**
- 6) North CUAPV (to keep #1 RC North running)**
- 7) North PK/Wyssmont**
- 8) #3 MED/RC/CTO – Use #1 MED if #3 MED has any issues in keeping up with #3RC**
- 9) #2 MED/RC**
- 10) South Precip/APV**
- 11) Reduction Towers/Screening**
- 12) Kneader**
- 13) PR2 Cu-1152 T**
- 14) Horne Machines AI-3915 T to run out any remaining pill mix**
- 15) Harrop Kiln**